


THE INSIDE STORY

of the
S. O. S.
TEL-AMATIC

**16-35 MM NEGATIVE / POSITIVE
FILM CLEANER**

*The Ultra Modern
Way to
Clean Film
SAFELY!*




S. O. S. TEL-AMATIC FILM CLEANING MACHINE

THE ULTRA MODERN WAY

SPECIFICATIONS

- TAKE-UP TORQUE MOTOR, ADJUSTABLE, REVERSIBLE
- ROLLERS, NYLON WITH STAINLESS STEEL BALL-BEARINGS AND SHAFTS
- REEL SPINDLES, INTERCHANGEABLE, QUICK-DISCONNECT, 16 AND 35mm
- FLANGE GUARDS, QUICK-DISCONNECT 16/35mm
- BUFFING CLOTH, 100% NYLON VELVET, 2500 TUFTS PER SQUARE INCH
- FILTERS, HONEYCOMB REPLACEABLE CARTRIDGE, FOR SOLUTION & AIR
- AIR COMPRESSOR, OIL-LESS ROTARY, FILTERED INPUT AND OUTPUT
- 1 GALLON SOLUTION CLEANS 10,000 FEET IN AVERAGE LABORATORY
- CAPACITY, 2 GALLON TANK, STAINLESS STEEL
- SOLUTION LEVEL INDICATOR, FLASHING LIGHT
- RECIRCULATION, TEFLON PACKED CENTRIFUGAL PUMP
- SPRAY CHAMBER WITH 4"×3¼" VIEWING PORT



■ ■ ■ ■ ■

FEATURES

- JET SPRAY FILM WASH
- CURVED AIR BLAST SQUEEGEES (PATENT APPLIED FOR)
- FLUID AND AIR FILTRATION SYSTEMS
- VERSATILE 16/35mm NEG/POS COMBINATION
- ENTIRE OPERATION FULLY VISIBLE
- AUTOMATIC STOP IF DEFECTIVE SPLICE PARTS
- PUSH BUTTON CONTROL
- MOBILE FREE-ROLLING CABINET
- 3000 FT. FILM CAPACITY, REELS OR CORES
- SPEED OVER 10,000 FEET PER HOUR
- ALL COMPONENTS EASILY ACCESSIBLE
- RUGGEDLY-BUILT OF MONEL, STAINLESS STEEL, CHROME, BRONZE, NYLON AND ALUMINUM

® REGISTERED TRADEMARK

YOU CANNOT DAMAGE

TO CLEAN FILM SAFELY !

S. O. S. TEL-AMATIC[®] FILM CLEANING MACHINE (16/35mm Negative/Positive)

The S.O.S. TEL-Amatic is a versatile 16-35mm Negative/Positive Film Cleaning Machine, which safely removes dirt, oil, grime, and smudges from motion picture film.

TEL-Amatic is fully automatic and features variable speed control. It evolved after years of research, thoroughly tested under actual laboratory conditions. Films with even the softest emulsions emerge scratch-free, crystal clean and clear. Embodying the latest know-how, craftsmanship and engineering. TEL-Amatic is a modern scientific achievement.

SOSolution, a remarkable new film cleaner prepared especially for TEL-Amatic helps do the job. Operation is simple and completely automatic. All films are safe in TEL-Amatic, whether originals or release prints. Even magnetic recording film can be cleaned using other recommended solutions. Foolproof safety factors provide protection for precious negatives.

Film is fed from a 3000' supply reel into a wet area where it is jet-sprayed with SOSolution. The film then passes between vacuum air squeegees (*patent applied for*) which impart curved blasts of air on both sides of the film. The solution drains to a storage reservoir in the wet compartment. Next, the film passes over a 100% Nylon velvet buffer with a lintless pile. This absorbs minute dust particles that may have by-passed the spray bath. A buffing/polishing operation on the base side removes any residual solution from sprocket holes. A built-in magazine stores reserve velvet rolls.

After buffing, a capstan type drive provides traction to move the film at variable speeds, 0 to 180 ft. per minute. An adjustable torque motor takes up any size reel to 3000 ft. capacity. Protection of the film is assured by a microswitch mechanism which automatically halts the supply reel when it is emptied or if a defective splice parts.

TEL-Amatic is completely enclosed and all work can be viewed in progress. Combination 16/35mm free-running film rollers are Nylon with stainless steel ball-bearing and shafts. The film guide rollers never touch image area, assuring scratch-free performance.

TEL-Amatic use requires no previous experience or skills. The operator threads 12 ft. of leader, fills the reservoir with SOSolution, throws the switch and TEL-Amatic does the rest. Over 1000 ft. of film is cleaned every six minutes, insuring perfect results every time. One man can operate a battery of these machines - a great labor-saver.

Complete \$3995 - FOB, N.Y. (Crated)

70 mm \$5500

Edge Waxing Attachment (For Original Equipment)

For 35 or 70 mm \$1000


SOSolution, non-toxic, non-flammable cleaning solvent, 55 gal. drum - per gal. - \$3.25

FILM WITH TEL-AMATIC!

S. O. S. TEL-AMATIC FILM CLEANING MACHINE



NOW...
YOU KNOW
THE INSIDE STORY!



S. O. S. PHOTO-CINE-OPTICS, INC.

formerly S.O.S. CINEMA SUPPLY CORP.